




# HDL Eco Solution




**Small size, easy  
installation**



**Easy cabling  
less cost**



**Stability**



# Buspro Distributed Wired Series

## Flush mount relay actuators



4CH10A relay



3CH10A relay



2CH 10A relay



1CH 16A relay



2CH1A dimmer



1CH1A dimmer

## Flush mount dimming actuator

## Flush mount power interface with relay



Tile 3CH10A relay power interface



Tile 2CH10A relay power interface



3CH10A relay power interface



2CH10A relay power interface

## Dry contact



4ch dry contact



8ch dry contact

## Flush mount RS485 gateway



Flush mount Buspro-RS485 gateway



1CH 1A Flush-mounted Dimming Actuator (EU)



3CH 10A Flush-mounted Switching Actuator



1CH 16A Flush-mounted Switching Actuator (EU)



2CH 10A Flush-mounted Switching Actuator (EU)



IR Transmitter with Current Detection



4 CH IR Emitter with Current Detection



4 CH Dry Contact Module



8 CH Dry Contact Module



1CH 1A Flush-mounted Dimming Actuator (EU)



3CH 10A Flush-mounted Switching Actuator



1CH 16A Flush-mounted Switching Actuator (EU)



2CH 10A Flush-mounted Switching Actuator (EU)



Infrared Emitter



4-Zone Dry Contact Module



8-Zone Dry Contact Module

HDL® | buspro



Power Interface-With  
2CH 10A Relay



Power Interface-With  
3CH 10A Relay



Tile Series Power Interface-With  
2CH 10A Relay



Tile Series Power Interface-With  
3CH 10A Relay

HDL® | KNX®



Power Interface-With  
2CH 10A Relay



Power Interface-With  
3CH 10A Relay



Tile Series Power Interface-With  
2CH 10A Relay




Tile Series Power Interface-With  
3CH 10A Relay

## Relay power interface

The power interfaces with dry contact can be easily matched with various types of control panels, including touch display and push-button panels.



Buspro Cable



Note: It is not suitable for EU wall box